



Juice
up your
clarification
program.


Maximum
Clarity

Lower
Total Cost

Improve floc settling and sugar juice clarity with new generation Bufloc® 5774 and 5775.

Get ready to rock the floc with Bufloc 5774 for SRI clarifiers and Bufloc 5775 for multi-tray clarifiers. These advanced flocculants have been specially formulated to boost settling rates in your sugar juice and provide exceptional liquid-solid separation in a wide range of conditions. With Bufloc 5774 or 5775, your plant can achieve maximum clarity at a lower total cost. Why settle for anything less?

With the floc-settling power of Bufloc® 5774 and 5775, the savings will settle right to your bottom line.



Choose the formula that's right for your clarifier.

Bufloc 5774

An ultra-high molecular weight combined with just the right charge ratio makes it the perfect flocculant for short retention SRI clarifiers.

Bufloc 5775

Drawing on extensive experience, we've established the best molecular weight and charge ratio for outstanding clarification in multi-tray systems, including Dorr, Graver, Bach and Rapidorr.

Improve performance.

You can rely on Bufloc 5774 or 5775 for:

- Higher solids removal and faster settling rates
- Consistent, superior performance due to an anionic charge range that deals effectively with differing conditions of soil, climate, solar radiation and rainfall

Enhance profitability.

Bufloc flocculants can improve your bottom line by providing:

- Greater process efficiency at low dosage levels, resulting in reduced handling and storage costs
- Optimised throughput
- A lower total cost of production

Get all the support you need.

With a full range of solutions for the sugar industry, a commitment to customer service, deep application expertise, smart monitoring technologies and more, Buckman isn't just chemistry. It's chemistry connected.

Connect with your buckman representative or visit **buckman.com** to learn more.



This is not an offer for sale. The product shown in this literature may not be available for sale and/or available in all geographies where Buckman is represented. The claims made may not have been approved for use in all countries. Buckman assumes no obligation or liability for the information. Please contact your Buckman sales representative for more information.

Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose referred to in the directions for use when used in accordance with the directions under normal conditions. Buyer assumes the risk of any use contrary to such directions. Seller makes no other warranty or representation of any kind, express or implied, concerning the product, including **NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS OF THE GOODS FOR ANY OTHER PARTICULAR PURPOSE**. No such warranties shall be implied by law and no agent of seller is authorized to alter this warranty in any way except in writing with a specific reference to this warranty. W10455A-H (09/18)

Argentina +54 11 4701-6415; Australia +61 (2) 6923 5888; Belgium +32 9 257 92 11; Brasil +55 (19) 3864-5000; Chile +56-2) 2946-1000; China +86-21) 6921-0188; India +91) 44-2648 0220
Indonesia +(62) 21-2988 8288; Japan +(81) 3 6202 1515; Korea +(82) 31-416 8991; Mexico +52 (777) 329 3740; Singapore +(65) 6891 9200; South Africa +27 (31) 736 8800; United States +1 (901) 278-0330

Global Headquarters at 1256 N. McLean Blvd., Memphis, TN 38108, USA

Buckman, South Africa: PO Box 591, Hammarsdale, 3700, Buckman Boulevard, Hammarsdale, KwaZulu-Natal • Tel 031-736 8800 • Fax 031 736 1593 • knetix@buckman.com